

Phecda SDI2

Linear Suspension Direct Indirect

2" Wide | 1114lm/ft | 11W/ft



Specification Sheet

Project Name :
Location :
Quantity :
Date :
Note:

Feature

The minimalist linear design of Line collection offers a contemporary appeal and a pleasant ambient light. It is available in surface mount, Wall mount or suspended versions. The acrylic diffuser, enclosed in an extruded aluminum housing, evenly distributes the light and totally eliminates bright dots. The Line comes in a range of sizes from 4 feet and 8 feet to adapt to various ceiling areas.

Specification

• CRI: 90+

• Bean Angle: 96° • IP Grade: IP40 • Power: 11W/ft

• **Up Light:** 1680~3565lm (420~445lm/ft) • **Down Light:** 2520~5350lm (630~669lm/ft)

• Efficiency: 94~100lm/W

• **Dimming Range:** 0-10V / 1~100% • Voltage [V]: AC100-277V / 50~60Hz • Operating Temperature: -20°C ~ +45°C


40K - 4000K

• Warranty: 5 years

C - Custom

Size

SL - Sliver



Example: SDI2-S-4-30K-BK-EMC

Model	Mounting	Length	Colour	Finish	Options
SDI2					
SDI2 - 2" aperture	S - Suspension W - Wall mount C - Celling mount	4 - 4 Feet 6 - 6 Feet 8 - 8 Feet	30K - 3000K 35K - 3500K	BK - Black WH - White	EMC - Emergency Driver

Performance

Order Information

Size	ССТ	Direction	Power[W]	Lumen[Im]
		Up	18	1680
	3000K	Down	27	2520
4ft	3500K	Up	18	1730
-	3300K	Down	27	2520 1730 2598 1780
	40001/	Up	18	1780
	4000K	Down	27	2675

Size	ССТ	Direction	Power[W]	Lumen[Im]
		Up	27	2520
	3000K	Down	40	3780
6ft	3500K	Up	27	2520
	3300K	Down	40	2520 3780
	4000K	Up	27	2520
		Down	40	3780


Size	ССТ	Direction	Power[W]	Lumen[lm]
		Up	36	3360
	3000K	Down	53	5040
8ft	3500K	Up	36	3463
Oit	3300K	Down	53	3463 5195
	4000K	Up	36	3565
		Down	53	5350













Extension connector to connect profiles.

Extension connector to connect cables.

Suspension System




Suspensiom Accessories



PW-NC-01 Pendant wire, Non-power side, with clips, 70 inches.

Pendant wire, Power side, with clips, canopy. 70 inches.



Wall Mount System



WL-CL-01

Wall mounted accessories, with clips to be attached on the fixture.